

Safety Data Sheet
MEASURE GLU HK

1. Product and Company Identification

Name: MEASURE GLU HK R-1
Manufacturer's name: UMA Co.,Ltd.
Address: 2-19-6 Yokosuka, Matsudo, Chiba, 270-0031 Japan
Tel: +81-47-710-4871
Fax: +81-47-710-4872

2. Composition information on ingredients

NAD	2.5 mM
Adenosine triphosphate	2.0 mM

3. Hazard Identification

May cause respiratory irritation and/or sensitization. Irritating to eyes, respiratory system and skin.

4. First Aid Measures

Eye: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical.

Skin: Flush skin with plenty of water. Seek medical aid if symptoms persist.

Ingestion: Wash mouth out with water. Get medical aid.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

5. Fire fighting measures

Extinguishing Media: In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

6. Accidental Release Measures

General Information: Use proper protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or weep up material and place into a suitable disposal container.

7. Handling and Storage

Handling:	Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes.
Storage:	Store in a cool, dry place. Store in a tightly closed container.

8. Exposure Controls/Personal Protection

The solid should be handled suitably with ventilation, such as Reverse Flow Dust Cabinet. Where indicated by Risk Assessment control measures may need to be supplemented by suitable Personal Protective Equipment such as gloves, eye protection and air filtering respirator.

9. Physical and Chemical Properties

Appearance and Odor:	Colorless clear liquid. slightly characteristics odor
Melting point:	Not available
Boiling point:	Not available
Specific gravity:	Not available

10. Stability and reactivity

Chemical stability:	This material is stable under normal and anticipated ambient storage and handling conditions.
Condition to avoid:	Freeze, heat, and sunlight
Incompatibility with other materials:	Strong oxidizers, acids, bases, heavy metals

11 Toxicological information

No toxicological studies have been performed on this reagent.
Acute exposure may result in respiratory irritation causing coughing, and skin irritation causing redness and pain.

12. Ecological information

There are no likely adverse effects on the aquatic environment in quantities likely to be encountered in normal laboratory practice.

13. Disposal Considerations

Any disposal practice must be in compliance with local, state, and federal laws and regulations (contact local or state environmental agency specific rules).
Sodium azide may react with copper or lead plumbing to form explosive compounds. Even though the reagents contain minute quantities of sodium azide, drains should be well flushed with large amount of water when discarding the reagents. Incinerate and

dispose of waste in accordance with all applicable regulations.

14. Transport information

IATA: Not regulated as a hazardous material.

IMO: Not regulated as a hazardous material.

RID/ADR: Not regulated as a hazardous material.

15. Regulatory information

No information found

16. Other information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profit or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

Safety Data Sheet
MEASURE GLU HK

1. Product and Company Identification

Name: M EASURE GLU HK R-2
Manufacturer's name: UMA Co.,Ltd.
Address: 2-19-6 Yokosuka, Matsudo, Chiba, 270-0031 Japan
Tel: +81-47-710-4871
Fax: +81-47-710-4872

2. Composition information on ingredients

Magnesium sulfate	12 mM
Hexokinase	7.0 u/mL
Glucose-6-phosphaate dehydrogenase	6.0 u/mL

3. Hazard Identification

May cause respiratory irritation and/or sensitization. Irritating to eyes, respiratory system and skin.

4. First Aid Measures

Eye: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical.

Skin: Flush skin with plenty of water. Seek medical aid if symptoms persist.

Ingestion: Wash mouth out with water. Get medical aid.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

5. Fire fighting measures

Extinguishing Media: In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

6. Accidental Release Measures

General Information: Use proper protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or weep up material and place into a suitable disposal container.

7. Handling and Storage

Handling: Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes.

Storage: Store in a cool, dry place. Store in a tightly closed container.

8. Exposure Controls/Personal Protection

The solid should be handled suitably with ventilation, such as Reverse Flow Dust Cabinet. Where indicated by Risk Assessment control measures may need to be supplemented by suitable Personal Protective Equipment such as gloves, eye protection and air filtering respirator.

9. Physical and Chemical Properties

Appearance and Odor:

Reagent 1: Colorless clear liquid. slightly characteristics odor

Reagent 2: Slightly turbid, yellowish brown liquid. slightly alcohol odor

Calibrator: Pale yellow powder. odorless

Melting point: Not available

Boiling point: Not available

Specific gravity: Not available

10. Stability and reactivity

Chemical stability: This material is stable under normal and anticipated ambient storage and handling conditions.

Condition to avoid: Freeze, heat, and sunlight

Incompatibility with other materials: Strong oxidizers, acids, bases, heavy metals

11. Toxicological information

No toxicological studies have been performed on this reagent.

Acute exposure may result in respiratory irritation causing coughing, and skin irritation causing redness and pain.

12. Ecological information

There are no likely adverse effects on the aquatic environment in quantities likely to be encountered in normal laboratory practice.

13. Disposal Considerations

Any disposal practice must be in compliance with local, state, and federal laws and regulations (contact local or state environmental agency specific rules).

Sodium azide may react with copper or lead plumbing to form explosive compounds.

Even though the reagents contain minute quantities of sodium azide, drains should be well flushed with large amount of water when discarding the reagents. Incinerate and dispose of waste in accordance with all applicable regulations.

14.Transport information

IATA: Not regulated as a hazardous material.

IMO: Not regulated as a hazardous material.

RID/ADR: Not regulated as a hazardous material.

15.Regulatory information

No information found

16.Other information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lose profit or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.